L Number	Hits	Search Text	DB	Time stamp
	592	workflow.ti.	USPAT;	2003/02/25
			US-PGPUB;	09:49
			EPO; JPO; DERWENT;	
			IBM TDB	
_	244	workflow.ti. and @ad<=19990915	USPAT;	2004/07/19
			US-PGPUB;	10:48
			EPO; JPO;	
			DERWENT;	
	13	   (workflow.ti. and @ad<=19990915) and	IBM_TDB USPAT;	2003/02/25
_	13	(start with condition)	US-PGPUB;	09:49
		(board wron bonardron)	EPO; JPO;	05.15
			DERWENT;	
	_		IBM_TDB	
-	2	(US-5870545-\$).did. or	USPAT;	2003/02/25
	1	(US-6041306-\$).did. ("5745901").PN.	DERWENT USPAT	09:57 2003/02/25
_	1	( 5/45901 ).PN.	USPAI	10:00
_	1	("5634127").PN.	USPAT	2003/02/25
	-			10:00
-	1	("5301320").PN.	USPAT	2003/02/25
_	4	(UEE 01 CO1 U) DN	11CD2 m	10:01
-	1	("5581691").PN.	USPAT	2003/02/25
_	1	("5799297").PN.	USPAT	2003/02/25
	-	( 0.00201	001111	10:02
-	1	("5867824").PN.	USPAT	2003/02/25
	_			10:02
-	6	(US-5870545-\$ or US-5301320-\$ or	USPAT;	2003/02/25
		US-5581691-\$ or US-5799297-\$ or US-5867824-\$).did. or (US-6041306-\$).did.	DERWENT	10:02
_	1	(US-5870545-\$).did.	USPAT	2004/07/19
				15:52
-	39	((schedul\$4.ti. and @ad<=20010608) and	USPAT;	2003/02/27
		(schedul\$4 with appointment)) and network	US-PGPUB;	16:07
		and day and time and user	EPO; JPO; DERWENT;	
			IBM TDB	
-	35	(((schedul\$4.ti. and @ad<=20010608) and	USPAT;	2003/02/27
		(schedul\$4 with appointment)) and network	US-PGPUB;	16:13
		and day and time and user) and (access or	EPO; JPO;	
		code or password)	DERWENT; IBM TDB	
_	24	((((schedul\$4.ti. and @ad<=20010608) and	USPAT;	2003/02/27
	_ ,	(schedul\$4 with appointment)) and network	US-PGPUB;	16:38
		and day and time and user) and (access or	EPO; JPO;	
		code or password)) and screen	DERWENT;	
_	19	(((((schedul\$4.ti. and @ad<=20010608) and	IBM_TDB USPAT;	2003/02/27
	19	(schedul\$4 with appointment)) and network	US-PGPUB;	16:31
		and day and time and user) and (access or	EPO; JPO;	
		code or password)) and screen) and	DERWENT;	
<u> </u>	1 /	data\$1base	IBM_TDB	2002/02/27
-	14	(((((schedul\$4.ti. and @ad<=20010608) and (schedul\$4 with appointment)) and network	USPAT; US-PGPUB;	2003/02/27 16:32
		and day and time and user) and (access or	EPO; JPO;	10.02
		code or password)) and screen) and	DERWENT;	
		confirm\$6	IBM_TDB	
-	2	(((((schedul\$4.ti. and @ad<=20010608) and	USPAT;	2003/02/27
		(schedul\$4 with appointment)) and network and day and time and user) and (access or	US-PGPUB; EPO; JPO;	16:33
		code or password)) and screen) and	DERWENT;	
		(access adj code)	IBM_TDB	
-	20	(((((schedul\$4.ti. and @ad<=20010608) and	USPAT;	2003/02/27
		(schedul\$4 with appointment)) and network	US-PGPUB;	18:30
		and day and time and user) and (access or code or password)) and screen) and	EPO; JPO; DERWENT;	
		identif\$6	IBM TDB	
				1

-	4	(((((schedul\$4.ti. and @ad<=20010608)	USPAT;	2003/02/27
		and (schedul\$4 with appointment)) and network and day and time and user) and	US-PGPUB; EPO; JPO;	16:35
		(access or code or password)) and screen)	DERWENT;	
		and identif\$6) and print	IBM_TDB	
-	15	(((((schedul\$4.ti. and @ad<=20010608) and	USPAT;	2003/02/27
		<pre>(schedul\$4 with appointment)) and network and day and time and user) and (access or</pre>	US-PGPUB; EPO; JPO;	16:36
		code or password)) and screen) and output	DERWENT;	
ŀ		ocas or passivera,, and porcent, and output	IBM TDB	
-	6	(((((schedul\$4.ti. and @ad<=20010608) and	USPĀT;	2003/02/27
		(schedul\$4 with appointment)) and network	US-PGPUB;	16:36
		and day and time and user) and (access or code or password)) and screen) and prints	EPO; JPO; DERWENT;	
		code or password); and screen; and prints	IBM TDB	
-	7	(((((schedul\$4.ti. and @ad<=20010608) and	USPAT;	2003/02/27
		(schedul\$4 with appointment)) and network	US-PGPUB;	16:38
		and day and time and user) and (access or	EPO; JPO;	
		<pre>code or password)) and screen) and administrator</pre>	DERWENT;	
_	8	(((((schedul\$4.ti. and @ad<=20010608)	IBM_TDB USPAT;	2003/02/27
		and (schedul\$4 with appointment)) and	US-PGPUB;	18:30
		network and day and time and user) and	EPO; JPO;	
		(access or code or password)) and screen)	DERWENT;	
	50	and identif\$6) and conflict\$4	IBM_TDB	2002/02/27
-	30	(schedul\$4.ti. and @ad<=20010608) and (screen with (confirm\$ or notif\$5))	USPAT; US-PGPUB;	2003/02/27
		(=====================================	EPO; JPO;	13.02
			DERWENT;	
			IBM_TDB	/
-	3	((schedul\$4.ti. and @ad<=20010608) and (schedul\$4 with appointment)) and (screen	USPAT;	2003/02/27
1		with (confirm\$ or notif\$5))	US-PGPUB; EPO; JPO;	19:30
		W1501 (3011111M) 01 11001140//	DERWENT;	
			IBM_TDB	
-	0	(schedul\$4.ti. and @ad<=20010608) and	USPAT;	2003/02/27
		(date adj approved)	US-PGPUB; EPO; JPO;	19:53
}			DERWENT;	
			IBM TDB	
-	4	(schedul\$4.ti. and @ad<=20010608) and	USPĀT;	2003/02/27
		(date same approved)	US-PGPUB;	19:56
			EPO; JPO; DERWENT;	
			IBM TDB	
-	49	(schedul\$4.ti. and @ad<=20010608) and	USPĀT;	2003/02/27
		(confirm\$6 same identif\$6)	US-PGPUB;	20:23
			EPO; JPO; DERWENT;	
			IBM TDB	
-	79	(schedul\$4.ti. and @ad<=20010608) and	USPAT;	2003/02/27
		(confirm\$6 same date)	US-PGPUB;	20:24
			EPO; JPO;	
			DERWENT; IBM TDB	
-	55	(schedul\$4.ti. and @ad<=20010608) and	USPAT;	2003/02/27
		(confirm\$6 with date)	US-PGPUB;	20:24
			EPO; JPO;	
			DERWENT; IBM TDB	
_	41	(schedul\$4.ti. and @ad<=20010608) and	USPAT;	2003/02/27
		(confirm\$6 with (date and time))	US-PGPUB;	20:24
			EPO; JPO;	
			DERWENT;	
_	1	(US-6012037-\$).did.	IBM_TDB USPAT	2003/03/01
		, 100 001200, 47. uru.	JULAI	14:29
-	1	(US-5970466-\$).did.	USPAT	2003/03/01
		(		17:48
-	1	(US-4548510-\$).did.	USPAT	2003/03/01
	L			14:29

-	3	((US-6012037-\$).did.) or ((US-5970466-\$).did.) or	USPAT	2003/03/01 14:57
-	2	1 , , ,	USPAT	2003/03/01
		((US-5970466-\$).did.) or ((US-4548510-\$).did.)) and (print or output)		14:36
_	0	(((US-6012037-\$).did.) or ((US-5970466-\$).did.) or	USPAT	2003/03/01 14:36
_	0	((( , / ,	USPAT	2003/03/01
_	14	((US-5970466-\$).did.) or ((US-4548510-\$).did.)) and main (US-5870545-\$ or US-5867824-\$ or	USPAT;	14:39
		US-5799297-\$ or US-5301320-\$ or US-5581691-\$ or US-4548510-\$ or	US-PGPUB; DERWENT	14:36
		US-5970466-\$ or US-6035278-\$ or US-6370566-\$ or US-6505167-\$ or US-6073110-\$ or US-6012037-\$).did. or		
		(US-20010051888-\$).did. or (US-6041306-\$).did.		
-	0	((US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or US-5581691-\$ or US-4548510-\$ or	USPAT	2003/03/01 14:36
		US-5970466-\$ or US-6035278-\$ or US-6370566-\$ or US-6505167-\$ or		
		US-6073110-\$ or US-6012037-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.) and welcome		
-	3	(((US-6012037-\$).did.) or ((US-5970466-\$).did.) or	USPAT	2003/03/01 14:42
_	0	((US-4548510-\$).did.)) and screen (((US-6012037-\$).did.) or ((US-5970466-\$).did.) or	USPAT	2003/03/01
_	0	((US-4548510-\$).did.)) and screen and ID	USPAT	2003/03/01
	2	((US-5970466-\$).did.) or ((US-4548510-\$).did.)) and ID ((US-5870545-\$ or US-5867824-\$ or	USPAT	2003/03/01
	2	US-5799297-\$ or US-5301320-\$ or US-5581691-\$ or US-4548510-\$ or	USPAI	14:46
	,	US-5970466-\$ or US-6035278-\$ or US-6370566-\$ or US-6505167-\$ or US-6073110-\$ or US-6012037-\$).did. or		
		(US-20010051888-\$).did. or (US-6041306-\$).did.) and ID		
-	1	(US-6073110-\$).did.	USPAT	2003/03/01 14:57
	3	((US-6012037-\$).did.) or ((US-5970466-\$).did.) or ((US-6073110-\$).did.)	USPAT	2003/03/01 18:19
-	0	(((US-6012037-\$).did.) or ((US-5970466-\$).did.) or	USPAT	2003/03/01 14:58
-	1	((US-6073110-\$).did.)) and print (((US-6012037-\$).did.) or ((US-5970466-\$).did.) or	USPAT	2003/03/01 14:58
-	2	((US-6073110-\$).did.)) and output (((US-6012037-\$).did.) or ((US-5970466-\$).did.) or	USPAT	2003/03/01 15:26
-	1	((US-6073110-\$).did.)) and users (((US-6012037-\$).did.) or	USPAT	2003/03/01
		((US-5970466-\$).did.) or ((US-6073110-\$).did.)) and (remove or cancel or delete)		16:48
-	0	((US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or	USPAT	2003/03/01 16:49
		US-5581691-\$ or US-4548510-\$ or US-5970466-\$ or US-6035278-\$ or US-6370566-\$ or US-6505167-\$ or		
		US-6073110-\$ or US-6012037-\$).did. or (US-20010051888-\$).did. or		
L	<u> </u>	(US-6041306-\$).did.) and students	<u> </u>	l

Search History 7/19/04 5:19:34 PM Page 3

-	136	(schedul\$4.ti. and @ad<=20010608) and (schedul\$4 with appointment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/01 16:50
-	1	((schedul\$4.ti. and @ad<=20010608) and (schedul\$4 with appointment)) and students	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/01 16:50
-	10858	schedul\$4.ti. and @ad<=20010608	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/01 16:52
-	27	(schedul\$4.ti. and @ad<=20010608) and students	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/01 16:52
-	4	(schedul\$4.ti. and @ad<=20010608) and (group with students)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/01 17:06
-	12	((US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or US-5581691-\$ or US-4548510-\$ or US-5970466-\$ or US-6035278-\$ or US-6370566-\$ or US-6505167-\$ or US-6073110-\$ or US-6012037-\$).did. or (US-20010051888-\$).did. or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 17:25
_	4	(US-6041306-\$).did.) and group ((US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or US-5581691-\$ or US-4548510-\$ or US-5970466-\$ or US-6035278-\$ or US-6370566-\$ or US-6505167-\$ or US-6073110-\$ or US-6012037-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.) and code and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 17:25
-	7	database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/01 17:25
-	1	((US-5970466-\$).did.) and display	USPAT	2003/03/01 17:58
-	20	(schedul\$4.ti. and @ad<=20010608) and (seating or sitting)	USPAT	2003/03/01 18:00
-	0	((schedul\$4.ti. and @ad<=20010608) and (seating or sitting)) and photography	USPAT	2003/03/01 17:59
-	10	(schedul\$4.ti. and @ad<=20010608) and (seating)	USPAT	2003/03/01 18:09
-	0	(schedul\$4.ti. and @ad<=20010608) and (seating and attire)	USPAT	2003/03/01 18:10
_	0	(photography with (sitting or seating)) and attire	USPAT	2003/03/01
	1	<pre>(photography same (sitting or seating)) and attire</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/01 18:11

-	3	(photography and (sitting or seating))	USPAT;	2003/03/01
		and attire	US-PGPUB;	18:13
			EPO; JPO; DERWENT;	
			IBM TDB	
_	9	((sitting or seating) with attire)	USPAT;	2003/03/01
			US-PGPUB;	18:13
			EPO; JPO;	
			DERWENT;	
	8	///sitting on souting) with atting)) and	IBM_TDB USPAT;	2003/03/01
-	°	(((sitting or seating) with attire)) and @ad<=20000608	USPAI; US-PGPUB;	18:14
		Gua 20000000	EPO; JPO;	10.11
			DERWENT;	
			IBM_TDB	
-	1	(((US-6012037-\$).did.) or	USPAT	2003/03/01
		((US-5970466-\$).did.) or ((US-6073110-\$).did.)) and mail		18:20
_	1	(((US-6012037-\$).did.) or	USPAT	2003/03/01
		((US-5970466-\$).did.) or		18:20
		((US-6073110-\$).did.)) and e\$1mail		
-	5	((US-5870545-\$ or US-5867824-\$ or	USPAT	2003/03/01
		US-5799297-\$ or US-5301320-\$ or US-5581691-\$ or US-4548510-\$ or		18:24
		US-5581691-\$ or US-4548510-\$ or US-5970466-\$ or US-6035278-\$ or		
		US-6370566-\$ or US-6505167-\$ or		
		US-6073110-\$ or US-6012037-\$).did. or		
		(US-20010051888-\$).did. or		
		(US-6041306-\$).did.) and e\$1mail		0000 (00 (00
-	3	((US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or	USPAT	2003/03/01
		US-5581691-\$ or US-4548510-\$ or		10:24
		US-5970466-\$ or US-6035278-\$ or		
		US-6370566-\$ or US-6505167-\$ or		
		US-6073110-\$ or US-6012037-\$).did. or		
		(US-20010051888-\$).did. or		
		(US-6041306-\$).did.) and e\$1mail and notif\$6		
-	1	("5970466").PN.	USPAT	2003/03/03
	_	,		16:05
-	0	("((assign\$4 with access) same database)	USPAT	2003/03/03
	406	and @ad<=20000608").PN.		16:29
-	486	((assign\$4 with access) same database) and @ad<=20000608	USPAT	2003/03/03
_	116	and @ad<=20000606   (((assign\$4 with access) same database)	USPAT	2003/03/03
		and @ad<=20000608) and schedule		16:20
-	93	((((assign\$4 with access) same database)	USPAT	2003/03/03
		and @ad<=20000608) and schedule) and date		16:21
_		and time	Henra	2002/02/02
-	26	(((((assign\$4 with access) same database) and @ad<=20000608) and schedule) and date	USPAT	2003/03/03 16:21
		and time) and calendar		10.21
-	74	((assign\$4 with access with (code or ID))	USPAT	2003/03/03
		same database) and @ad<=20000608		16:27
-	3	(((assign\$4 with access with (code or	USPAT	2003/03/03
		ID)) same database) and @ad<=20000608)		16:27
_	o	and calendar and schedule ("((assign\$4 with access with user) and	USPAT	2003/03/03
		database) and (ID or password) and	JULAI	16:29
1		@ad<=20000608").PN.		
-	633	((assign\$4 with access with user) and	USPAT	2003/03/03
		database) and (ID or password) and		16:31
_	312	@ad<=20000608 ((assign\$4 with access with user) and	USPAT	2003/03/03
	312	database) and (ID or password) and	OSFAI	16:31
		administrator and @ad<=20000608		= · · · · · · · ·
-	121	(((assign\$4 with access with user) and	USPAT	2003/03/04
		database) and (ID or password) and		20:24
		administrator and @ad<=20000608) and (administrator with assign\$4)		
_	1	(US-5163097-\$).did.	USPAT	2003/03/04
		, , , , , , , , , , , , , , , ,	******	20:24
			·	<del> </del>

Search History 7/19/04 5:19:34 PM Page 5

-	1	((US-5163097-\$).did.) and (access adj	USPAT	2003/03/04 20:24
-	1	· · · · · · · · · · · · · · · · · · ·	USPAT	2003/03/04
-	1	(US-5970466-\$).did.	USPAT	2003/03/04
-	18	(US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or	USPAT; US-PGPUB;	20:29 2003/03/05 10:35
		US-5581691-\$ or US-4548510-\$ or	DERWENT	10.33
		US-5970466-\$ or US-6035278-\$ or US-6370566-\$ or US-6505167-\$ or		
		US-6073110-\$ or US-6012037-\$ or US-5070453-\$ or US-6101480-\$ or		
		US-6526512-\$ or US-5163097-\$).did. or		
	_	(US-20010051888-\$).did. or (US-6041306-\$).did.		
-	3	((US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or	USPAT	2003/03/05 10:46
		US-5581691-\$ or US-4548510-\$ or US-5970466-\$ or US-6035278-\$ or		
		US-6370566-\$ or US-6505167-\$ or US-6073110-\$ or US-6012037-\$ or		
		US-5070453-\$ or US-6101480-\$ or		
		US-6526512-\$ or US-5163097-\$).did. or (US-20010051888-\$).did. or		
		(US-6041306-\$).did.) and ((multiple or multi\$1 or plurality) with level)		
-	1691		USPAT	2003/03/05
-	1	l ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	DERWENT	2003/06/29
-	0	((US-6041306-\$).did.) and tim\$4	USPAT	2003/06/29
-	0	((US-6041306-\$).did.) and (condition or evaluat\$4)	USPAT	2003/06/29
-	0	((US-6041306-\$).did.) and memory	USPAT	2003/06/29 15:25
_	1	(US-6041306-\$).did. and tim\$4	USPAT; US-PGPUB;	2003/06/29 15:26
			EPO; JPO;	13.20
			DERWENT; IBM_TDB	
-	1	(US-6041306-\$).did. and tim\$4	USPAT; US-PGPUB;	2003/06/29 16:11
			EPO; JPO; DERWENT;	
	_	(WE 5070545 0) W	IBM_TDB	2002/06/20
-	1	(US-5870545-\$).did.	USPAT	2003/06/29 16:12
-	1	((US-5870545-\$).did.) and tim\$4	USPAT	2003/06/29 16:13
-	18	(US-5301320-\$ or US-5581691-\$ or US-6505167-\$ or US-6370566-\$ or	USPAT; US-PGPUB;	2003/06/30 14:37
		US-6101480-\$ or US-6035278-\$ or US-5970466-\$ or US-4548510-\$ or	DERWENT	
		US-6073110-\$ or US-6012037-\$ or		
		US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5070453-\$ or		
		US-6526512-\$ or US-5163097-\$).did. or (US-20010051888-\$).did. or		
_	18	(US-6041306-\$).did.	USPAT;	2003/06/30
	10	US-6505167-\$ or US-6370566-\$ or	US-PGPUB;	14:39
		US-6101480-\$ or US-6035278-\$ or US-5970466-\$ or US-4548510-\$ or	DERWENT	
		US-6073110-\$ or US-6012037-\$ or US-5870545-\$ or US-5867824-\$ or		
		US-5799297-\$ or US-5070453-\$ or US-6526512-\$ or US-5163097-\$).did. or		
		(US-20010051888-\$).did. or		
L	L	(US-6041306-\$).did.	L	L

-	15	((US-5301320-\$ or US-5581691-\$ or US-6505167-\$ or US-6370566-\$ or US-6101480-\$ or US-6035278-\$ or US-5970466-\$ or US-4548510-\$ or US-6073110-\$ or US-6012037-\$ or	USPAT	2003/06/30 14:56
		US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5070453-\$ or US-6526512-\$ or US-5163097-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.) and time		
-	1	(US-5870545-\$).did.	USPAT	2003/06/30 14:56
-	1	((US-5870545-\$).did.) and arcs	USPAT	2003/06/30 14:56
-	1	(US-5870545-\$).did.	USPAT	2003/12/12 14:49
-	1	((US-5870545-\$).did.) and (control time cycle period)	USPAT	2003/12/12 14:58
-	1635	(709/1-108).ccls. and @ad<=19990915 and (process\$4 with (continu\$4 complet\$4 resum\$4))	USPAT	2003/12/12 15:16
-	763	(709/1-108).ccls. and @ad<=19990915 and (process\$4 adj (continu\$4 complet\$4 resum\$4))	USPAT	2003/12/12 15:31
-	727	(709/1-108).ccls. and @ad<=19990915 and (process\$4 adj (continu\$4 complete	USPAT	2003/12/12 15:32
-	18	completed resum\$4)) (US-6505167-\$ or US-6370566-\$ or US-6101480-\$ or US-6035278-\$ or US-5970466-\$ or US-4548510-\$ or US-5870545-\$ or US-5867824-\$ or	USPAT; US-PGPUB; DERWENT	2004/07/19 10:44
		US-5799297-\$ or US-5301320-\$ or US-6073110-\$ or US-6012037-\$ or US-5581691-\$ or US-5070453-\$ or US-6526512-\$ or US-5163097-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.		
-	29479	(start initial) adj conditions	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/19 10:48
-	0	((US-6505167-\$ or US-6370566-\$ or US-6101480-\$ or US-6035278-\$ or US-5970466-\$ or US-4548510-\$ or US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or US-6073110-\$ or US-6012037-\$ or US-5581691-\$ or US-5570453-\$ or US-6526512-\$ or US-5163097-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.) and ((start initial) adj conditions)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 10:47
-	28	((start initial) adj conditions) same workflow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/19
-	18241289	@ad<=19990915	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/19 10:48
-	7	(((start initial) adj conditions) same workflow) and @ad<=19990915	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/19 10:48

[=	24	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT;	2004/07/19
		workflow	US-PGPUB;	11:26
			EPO; JPO;	
			DERWENT;	i
	1 2252	//	IBM_TDB	2004/07/19
-	2253	((start initial) adj conditions) with	USPAT; US-PGPUB;	12:05
		(process\$3 workflow)	EPO; JPO;	12.03
1			DERWENT;	
			IBM TDB	
_	243	(((start initial) adj conditions) with	USPAT;	2004/07/19
		(process\$3 workflow)) and (process with	US-PGPUB;	12:05
1		work\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	134	=	USPAT;	2004/07/19
		conditions) with (process\$3 workflow))	US-PGPUB;	11:29
		and (process with work\$4))	EPO; JPO;	
			DERWENT;	
	66	718/100-108.ccls. and 705/\$.ccls.	IBM_TDB USPAT;	2004/07/19
-	""	/10/100-100.CCIS. and /05/5.CCIS.	USPAT; US-PGPUB;	11:29
			EPO; JPO;	111.23
			DERWENT;	
			IBM TDB	
_	134	(@ad<=19990915 and ((((start initial) adj	USPAT;	2004/07/19
		conditions) with (process\$3 workflow))	US-PGPUB;	11:29
		and (process with work\$4))) not ibm.as.	EPO; JPO;	1
		_	DERWENT;	
	1		IBM_TDB	
-	127	((@ad<=19990915 and ((((start initial)	USPAT;	2004/07/19
		adj conditions) with (process\$3	US-PGPUB;	11:57
		workflow)) and (process with work\$4)))	EPO; JPO;	
]		not ibm.as. ) not international.as.	DERWENT;	
	1	(718/100-108.ccls. and 705/\$.ccls.) and	IBM_TDB USPAT;	2004/07/19
-	1	(((@ad<=19990915 and ((((start initial)	US-PGPUB;	11:30
		adj conditions) with (process\$3	EPO; JPO;	11.30
		workflow)) and (process with work\$4)))	DERWENT;	1
		not ibm.as. ) not international.as.)	IBM TDB	
-	2	(((@ad<=19990915 and ((((start initial)	USPAT;	2004/07/19
		adj conditions) with (process\$3	US-PGPUB;	11:30
		workflow)) and (process with work\$4)))	EPO; JPO;	
		not ibm.as. ) not international.as.) and	DERWENT;	
		workflow	IBM_TDB	2004/07/10
-	23	(((@ad<=19990915 and ((((start initial)	USPAT;	2004/07/19
		adj conditions) with (process\$3	US-PGPUB; EPO; JPO;	11:57
		<pre>workflow)) and (process with work\$4))) not ibm.as. ) not international.as.) and</pre>	DERWENT;	
		nodes	IBM TDB	
_	4523	((((@ad<=19990915 and ((((start initial)	USPAT;	2004/07/19
	1323	adj conditions) with (process\$3	US-PGPUB;	11:57
		workflow)) and (process with work\$4)))	EPO; JPO;	
		not ibm.as. ) not international.as.) and	DERWENT;	
1		nodes) and ((@ad<=19990915 and ((((start	IBM_TDB	
1		initial) adj conditions) with (process\$3	_	
		workflow)) and (process with work\$4)))		
		not ibm.as. ) adn (((@ad<=19990915 and		
		((((start initial) adj conditions) with		
		(process\$3 workflow)) and (process with		
		work\$4))) not ibm.as.) not		
L		international.as.)	L	

	23	((((@ad<=19990915 and ((((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4))) not ibm.as.) not international.as.) and nodes) and ((@ad<=19990915 and (((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4))) not ibm.as.) and (((@ad<=19990915 and (((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4))) not ibm.as.) not international.as.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:03
-	1	(US-5740463-\$).did.	USPAT	2004/07/19 12:02
-	0	((US-5740463-\$).did.) and (threads workflow tasks)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/19 12:02
-	1	((US-5740463-\$).did.) and (threads workflow tasks jobs)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/19 12:02
_	24	(((start initial) adj conditions) with (process\$3 workflow)) with workflow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/19 12:06
_	7	<pre>@ad&lt;=19990915 and ((((start initial) adj conditions) with (process\$3 workflow)) with workflow)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/19 12:06
_	33	(((start initial) adj conditions) with (process\$3 workflow)) and workflow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/19 12:06
-	10	<pre>@ad&lt;=19990915 and ((((start initial) adj conditions) with (process\$3 workflow)) and workflow)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/19 12:07
	2	(@ad<=19990915 and ((((start initial) adj conditions) with (process\$3 workflow)) and workflow)) and ((@ad<=19990915 and ((((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4))) not ibm.as.) and (((@ad<=19990915 and ((((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4))) not ibm.as.) not international.as.)	USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 12:20
_	1	l	USPAT	2004/07/19 12:20
_	1	((US-6314434-\$).did.) and model	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:38
-	1	((US-6314434-\$).did.) and (model same (nodes process\$3 activity connector graph))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/19 12:24
-	0	((US-6314434-\$).did.) and connector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/19 12:37

	74988	continu\$4 adj (process\$3)	USPAT;	2004/07/19
			US-PGPUB;	12:38
	į		EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	9	(continu\$4 adj (process\$3)) and	USPAT;	2004/07/19
		(718/100-108.ccls. and 705/\$.ccls.)	US-PGPUB;	12:39
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	1719	carries adj process\$3	USPAT;	2004/07/19
			US-PGPUB;	12:40
•	ļ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(	USPAT;	2004/07/19
		(718/100-108.ccls. and 705/\$.ccls.)	US-PGPUB;	12:40
			EPO; JPO;	
			DERWENT;	
ļ			IBM_TDB	0004/07/00
-	0	((carries adj process\$3) and	USPAT;	2004/07/19
		(718/100-108.ccls. and 705/\$.ccls.)) and	US-PGPUB;	12:40
		@ad<=19990915	EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	